

CENTRAL TEXAS GROUNDWATER CONSERVATION DISTRICT ("District")
NOTICE OF HEARING ON APPLICATION FOR PERMIT AMENDMENT

NOTICE: the General Manager of the District has determined the following application(s) are administratively complete, conducted a technical review of applications, and prepared recommendations for consideration by the Board of Directors ("Board"): A preliminary hearing on the proposed permits will be held on Thursday April 27, 2023 at 9:00 a.m. at the District's office at 225 South Pierce Street, Suite 104, Burnet, TX 78611, in accordance with the District's rules. Each proposed permit application and its underlying application is available for inspection at the District's office.

The Board of Directors may deny or grant in full or in part a permit application, and issue a permit in any amount less than, or equal to the amount claimed in the application, based upon the evidence received at the hearing and notwithstanding the General Manager's recommendation.

In order to request a contested case hearing on an application, the applicant or an affected person, in accordance with District Rules must provide the District with a written request for a contested case hearing seven (7) days before the date of the intended action stated in this notice and appear before the Board at the hearing and oppose the application. Written requests received after this deadline will not be considered timely filed, and will not be further processed by the District.

Amendment to Operating Permit

Permit Number: OP-21042201-A

Applicants Name & Address:

Sunset Water Utilities/Ricky and Sandra Rowe
P.O. Box 1326
Marble Falls, TX 78654

Address of well location:

110 Blue Bonnet Ln
Spicewood, TX

Permit Amendment: Existing permit is for 3 aggregate wells for 152.5 acre feet/year. Permit amendment request to add a 4th well, #7999, with no increase in annual volume.

Aquifer: Ellenburger-San Saba

Requested Annual Production: No increase

Pumping Capacity:

Well #7999 at 50 gpm

Purpose of use of the water:

Public Water Supply (Spicewood Trails and Spicewood Estates)


Recommendation by General Manager:

It is the intent of the General Manager to recommend adding a new well to an existing aggregate operating permit for 152.5 Acre Feet/Year.

For information about a permit application or submitting a contested case hearing request, contact the District by phone at 512-756-4900, in person at 225 S. Pierce, Suite 104, Burnet, Texas, or visit the District's website at www.centraltexasgcd.org.

These proposed permits, if issued as final permits, would authorize the permit holder to withdraw and beneficially use groundwater within the Central Texas Groundwater Conservation District according to the terms and conditions set forth in the permits.

Certification: I, the undersigned authority, do hereby certify that on April 12, 2023 at or before 4:00 p.m., I posted and filed the above notice of hearing with the Burnet County Clerk's office for filing in the hallway of the Burnet County Courthouse in a place convenient and readily accessible to the general public at all times. I also certify that a copy of the notice was posted on the door and on an outside window of the District's office and that it will remain so posted continuously, as required for the specific permit type, immediately preceding the scheduled time of said hearing.



Mitchell Sodek, General Manager

Central Texas Groundwater Conservation District

POSTED

**Vicinta Stafford
Burnet County Clerk**

By Christy Simpson at 1:16 pm, Apr 12 2023